Rehabilitation prescription for:



Pediatric Orthopedic and Scoliosis Center Rehabilitation Medicine Center

Dr. Tysklind's Patellar Realignment PT Protocol

Diagnosis: R / L

Procedure date:

S/P:

WEEK														MONTH			
	1	2	3	4	5	6	7	8	9	10		3	4	5	6		
PHASE 1 EXERCISES											ſ						
Extension/Flexion sitting prone	٠	٠	٠	•	٠	٠	٠	٠	٠	•	Ī	•	٠	٠	•		
Quad sets with straight leg raises	٠	٠	٠	•	٠	٠	٠	٠	٠	•	Ī						
Hamstring sets	•	٠	٠	•	٠	٠	٠	٠	٠	•	Γ						
Patella Mobs/Quad patellar tendon	•	٠	٠	•	٠	•	٠	•	•	•	Γ						
Wall slides					٠	•	٠	•	•	•	Γ						
Toe and heel raises			٠	•	٠	٠	٠	•	٠	•	Γ	٠	٠	•	•		
MUSCLE STRETCHES																	
Sit and Reach for Hamstrings			٠	•	•	•	•	•	•	•		•	•	•	•		
Lying Rectus			٠	•	٠	•	٠	٠	•	•		٠	•	٠	•		
Stork Stand for Quadriceps						•	•	•	•	•		•	•	•	•		
Runners stretch for calf and achilles			٠	•	٠	•	•	٠	•	•	ſ	٠	•	•	•		
CARDIOVASCULAR EXERCISES											ſ						
Bike with Both Legs			٠	•	٠	•	•	٠	•	•	ſ	٠	•	•	•		
Aquajogging						•	•	٠	•	•	ſ	٠	•	•	•		
Swimming										•	ſ	٠	•	•	•		
Elliptical trainer								•	•	•	Γ	٠	٠	٠	•		
Rowing						•	٠	•	•	•	ſ	•	•	•	•		
Stair Stepper								٠	•	•	ſ	٠	•	•	•		
Treadmill						•	٠	٠	•	•	ſ	٠	•	•	•		
PHASE 2 SPORT CORD											ſ						
EXERCISES																	
Double Knee Bends (knee not over							•	٠	٠	•	ſ	٠	٠	٠	•		
foot)																	
Carpet Drags							٠	•	•	•		٠	٠	٠	•		
Forward backward jogging										•		•	•	•	•		
Side to side agilities										•		•	•	•	•		

Patient label

PHASE 3 WEIGHTS													
Leg press down to 90 degrees		•	•	•	•	•	•	•		•	•	•	•
Leg curls		•	•	•	•	•	•	•		٠	٠	۲	•
Ab/Adduction		•	•	•	•	•	•	•		٠	٠	۲	•
Balance squats					•	•	•	•		•	•	•	•
Knee extension pain-free arc		٠	•	•	•	•	•	•		•	•	٠	•
NO LUNGES													
PHASE 4 HIGH LEVEL									1				
EXERCISES													
Biking outdoors								•		•	•	٠	•
Rollerblading										•	•	٠	•
Running										•	•	٠	•
Skiing, basketball, tennis, football,													•
soccer													
Golf										٠	•	٠	•
Agility Exercises													•
Trail Riding										٠	•	٠	•

Additional Instructions:

Weight bearing: TDWB (toe touch only) with crutches weeks 0-2 post-op WBAT 2-6 weeks post op

Brace: Hinged knee brace locked in extension for ambulation 0-6 weeks

When not ambulating: Weeks 0-2: 0-30 degrees Weeks 2-4: 0-60 degrees Weeks 4-6: 0-90 degrees

Robert G. Tysklind, MD

Date